



## Apple Research Activities

The apple group has two research activities with the Canadian AgriScience Cluster for Horticulture Cluster 4. These two activities are focused on helping apple growers across Canada protect their orchards and be more productive and sustainable.

THE CLUSTER 4 APPLE RESEARCH ACTIVITIES ARE:

### ACTIVITY 4

#### Reducing losses from apple pests with alternative control strategies

LEAD RESEARCHER – Suzanne Blatt, research scientist in entomology with Agriculture and Agri-Food Canada at the Kentville Research and Development Centre

### ACTIVITY 5

#### Apple crop load management: enhancing thinning predictability and tree response through advancements in modelling and new precision thinning products, strategies and technology

LEAD RESEARCHER – John A. Cline, professor of tree fruit physiology at the University of Guelph

*This project is generously funded through the Canadian AgriScience Cluster for Horticulture 4, in cooperation with Agriculture and Agri-Food Canada's AgriScience Program, a Sustainable Canadian Agricultural Partnership initiative, the Fruit and Vegetable Growers of Canada (FVGC), and industry contributors.*



## Reducing Losses from Apple Pests with Alternative Control Strategies



LEAD RESEARCHER

**Suzanne Blatt**

Research entomologist with Agriculture and Agri-Food Canada at the Kentville Research and Development Centre

This research is working to reduce apple crop losses from pests such as apple maggot, ambrosia beetles and leafrollers. The research team has been investigating a protocol for sterile insect release for control of apple maggot (SIR for AM). Ambrosia beetles are being identified in apple orchard agroecosystems, along with new methods to manage the pest. Researchers are also working to find a sustainable non-pesticide tool for management of leafrollers. These projects are all meant to identify a non-pesticide option for control of apple pests across Canada.

In the fall 2024, two prototype injectors for spraying *Trichogramma minutum* in apple orchards to parasitize leafroller eggs were tested. Of the two prototypes, growers found one easy to use. Experiments were then fine-tuned. A series of spray trials in the experimental orchard tested how effectively the *Trichogramma* were distributed over the apple foliage. Last summer, two additional sprays of *Trichogramma* were done to test their ability to parasitize leafroller eggs using oblique banded leafroller (*Choristoneura rosaceana*) sentinel egg masses. The percentage of *Trichogramma* parasitism, determined by counting the number of emerged *Trichogramma* from the eggs, was estimated after each application. Results have been promising and researchers expect to have a finalized version of the device ready for trials in Nova Scotia and British Columbia this year.

Bark beetles were trapped in 10 orchards in Ontario and four orchards in B.C. last year. Around four times more beetles were captured in 2025 than 2024 in B.C. Two years of collection data is now available from these sites. Landscape features were recorded during 2024 and 2025. Dead and dying trees from six orchards in Ontario were sampled for beetles. An insecticide assay for ambrosia beetles was done next to an orchard in the Niagara Ontario region. Currently available insecticides, including Pounce, Altacor Max, Exirel, Delegate, Closer,



The sleeve cage set up used as part of the sterile insect release for control of apple maggot (SIR for AM) trial. Photo: Kim Hiltz

Aceta, were found to be ineffective for reducing the number of beetle entry holes compared to the control when tested at one, two and three weeks following application. Beetle gallery formation and species identifications are underway.

The needed ratio of sterile flies to wild flies to reduce oviposition from apple maggot was tested in the lab last winter. Researchers found an increasing reduction in apple maggot success at 67 per cent, 82 per cent and 94 per cent, as the ratio of sterile to wild flies increased 10:1, 20:1 and 30:1 (sterile to wild), when compared to controls. Field trials last summer used the 30:1 ratio and compared the number of pupae realized versus controls. SIR reduced apple maggot success by 84 per cent compared to the controls. Final test trials of the artificial diet for rearing apple maggot are happening this winter. A final recommendation on the feasibility of sterile insect release for apple maggot control and mass rearing to be made this spring.





KEY TAKEAWAYS:

- Results for a prototype injector have been promising for spraying eggs parasitized by *Trichogramma minutum* in apple orchards. Researchers expect to have a finalized version of the device ready for trials in Nova Scotia and British Columbia this year.
- Currently available insecticides, including Pounce, Altacor Max, Exirel, Delegate, Closer, Aceta, were found to be ineffective for reducing the number of beetle entry holes.
- Researchers have found an increasing reduction in apple maggot success as the ratio of sterile to wild flies increased.
- The final test trials of the artificial diet for rearing apple maggot are happening this winter with a final recommendation to be made this spring.





## Apple Crop Load Management: Enhancing Thinning Predictability and Tree Response Through Advancements in Modelling and New Precision Thinning Products, Strategies and Technology



LEAD RESEARCHER

**John A. Cline**

Professor of tree fruit physiology  
at the University of Guelph

This research activity is aimed at thinning flowers or fruits on overloaded apple trees using new chemical thinners and technologies. At the Ontario Crops Research Centre in Simcoe, Ont., several experiments were conducted this past growing season addressing the research objectives. The 2025 fall harvest in the region went as expected and was fairly typical.

In 2025, the Ontario research team tested late applications of Accede for the thinning of Ambrosia and Gala apples. Accede didn't display effective thinning. This could be due to weather conditions or other physiological reasons though – the researchers are continuing to investigate.

At Walsh Farms in Berwick, N.S. the research team has evaluated decision-support tools and new fruitlet thinners under two growing seasons to account for

weather variability. Both new chemical thinners are now commercially available. Extreme drought conditions in the region limited fruit weight and yield during the 2025 growing season.

One product, Brevis, will be commercially available for the first time in Canada this spring. Accede, previously became commercially available in 2024. Results from this research activity will provide grower insight on how to implement its use in commercial orchards.

### KEY TAKEAWAYS:

- Late applications of Accede for the thinning of Ambrosia and Gala apples didn't display effective thinning in Ontario. Late application of Accede for thinning of Honeycrisp apples was effective in Nova Scotia though. This could be due to weather conditions or other physiological reasons.
- Extreme drought conditions in Nova Scotia limited fruit weight and yield during the 2025 growing season.
- Brevis will be commercially available for the first time in Canada this spring.



Gala apples were harvested in late September from treatment trees as part of the fruit thinning research trial in Nova Scotia.



Gala apple trees ready to be harvested in late September as part of the fruit thinning research trial in Nova Scotia. Photos: Michelle Cortens

